

**BOMBAY
TOOLS** YOUR
INDUSTRIAL
PARTNER



INSULA[®]
Insulated Tools for Electrical Safety

GETSAFE

INDUSTRIAL SAFETY EQUIPMENT



INSULA

INSULATED HAND TOOLS FOR ELECTRICAL SAFETY

1000 Volts insulated tools

Electrical Cars, Automation, IoT, & AI in the Industrial space are already here. To support new as well as existing technologies requires the industry to maintain labyrinth network of electrical cables, circuitries & panels. In our quest to be more intelligent 'safety' cannot be neglected at any point. For regular operations & maintenance of electrical equipment & circuitry requires the correct set of tools. Our full range of Insulated Hand Tools have been providing to the industry the tools needed for the above.

Why 1000 Volts insulated tools?

The working end (business end) of hand tools are made from regular steel or chrome vanadium. This poses a major risk of shock for operators performing electrical operation or maintenance. Insulated tools are basically made from regular steel alloy with a PVC insulation that is applied using either of the 2 processes – dipping or injection moulding. Both these processes are carefully applied to each tool to ensure correct amount of insulation.

WHY CHOOSE INSULA



When working in live wires/ systems these tools provide insulation from electric shock



During electrical ops & maint systems remain energized even after shutdown. These tools provide safety to operator from fatal shock

CERTIFICATIONS



VDE

The VDE Testing and Certification Institute is a nationally and internationally accredited institution in the field of testing and certification of electrical engineering devices, components and systems. These electrical products are tested for safety, electromagnetic compatibility and other product properties.



VDE - GS MARK

Technical working equipment and consumable materials subject to the applicable device and product safety laws bear the VDE-GS mark, which stands for the safety of the product with regard to electrical, mechanical, thermal, toxicological, radiological and other dangers. In addition, tools with the VDE-GS mark conform to the VDE regulations or European or internationally harmonised standards, i.e. they confirm the compliance with the safety requirements of the respective guidelines.



DOUBLE TRIANGLE AND VOLTAGE RANGE

If insulated tools or aids are marked with the symbol of the double triangle and the assigned voltage or voltage range specification or the class, they are suitable for working on energised parts at the stated voltage.



IEC 60900


An international standard which, among other things, describes the design of insulated tools in detail. For example, the thickness of the protective insulation is specified. In addition, the standard defines individual tests (piece tests) as well as series and random sample tests for checking the electrical safety of the protective insulation.

OUR TOOLS ARE TESTED UNDER



IMPACT TEST

There are two tests carried out: The first test is performed at an ambient of $-25 \pm 3^{\circ}\text{C}$ (the tools lay in a cold chamber for 2 hours), if with C marked test need to be done by $-40 \pm 3^{\circ}\text{C}$ and is carried out 120 seconds after the tools have been removed from the chamber. The second test is carried out at ambient temperature of $23 \pm 5^{\circ}\text{C}$. The hammer is allowed to fall freely on three different places of the insulated material. The test piece is acceptable if the handle is not cracked, broken or does not show signs of faking. This test can be compared to a fall of the tool from a height of 0.6m at a temperature of -25°C and a fall from a height of 2m at room temperature.



ELECTRICAL TEST

Before testing, the tools are immersed in a bath of water at room temperature of 24 hours (± 0.5 hours). The test pieces are acceptable if there is no electrical discharge, spark over or flashover, during the 3 minutes of testing at a voltage of 10 KV.



STAMP TEST

The indenter, loaded with a weight of 20N and a voltage of 5 KV, is applied to the centre of the handle. The test is successful if the test piece subsequently passes the electrical test.

INSULATION TEST

Before testing the test piece is heated to $70^{\circ}\text{C} \pm 3^{\circ}\text{C}$ for 168 hours. The hanger is loaded with weights (500N), wrenches and sockets sets with weights (100N). The duration of test is 3 minutes after the test piece has been removed from heat. The test piece is acceptable if the handle remains firmly attached to the conducting part after 3 minutes of testing.



FLAME RETARDANCY TEST

The flame is applied to the test piece for 10 seconds. The test piece is acceptable if the height of the flame on the burning handle does not exceed 120mm in an observation period of 20 seconds after the burner has been removed.

OUR CUSTOMERS

OIL & GAS

- Hindustan Petroleum Corp Ltd.(HPCL)
- Bharat Petroleum Corp Ltd.(BPCL)
- Indian Oil Corporation Ltd.(IOCL)
- Oil and Natural Gas Corp(ONGC)
- GAIL (India) Ltd.
- Mangalore Refinery & Petrochem Ltd.(MRPL)
- Reliance Industries Ltd.
- Nayara Energy Ltd.
- Sterling and Wilson Renewable Energy Ltd.
- TotalEnergies

AUTOMOBILE

- Mahindra & Mahindra
- Maruti Suzuki India Ltd.
- Honda Motorcycle & Scooter India Pvt. Ltd
- Tata Motors Ltd.
- Hero MotoCorp Ltd.
- MG Motor India Private Ltd.

STEEL MINING

- JSW Group
- Tata Steel Ltd
- ArcelorMittal and Nippon Steel India
- Hindalco Industries Ltd

DATA CENTERS

- Reliance Jio Infocomm Ltd.
- Vodafone Idea Ltd.
- Delta Electronics, Inc
- STT Global Data Centres India Pvt. Ltd

CEMENT

- UltraTech Cement Ltd
- Ambuja Cements Ltd. & ACC Ltd.
- Dalmia Bharat Group
- HeidelbergCement

PHARMA COMPANIES

- Sun Pharmaceutical Industries Ltd
- Lupin Ltd.
- Zydus Lifesciences Ltd.
- Mylan Pharmaceuticals Pvt Ltd

POWER

- Torrent Power Ltd.
- Adani Electricity Mumbai Ltd. (AEML)
- NTPC Ltd.
- Nuclear Power Corporation of India Ltd.
- Power Grid Corporation of India Ltd.

OTHERS

- Grasim Industries Ltd.
- United Breweries Ltd.
- Mondelez International, Inc
- Asian Paints Ltd.
- AkzoNobel India Ltd.



Trusted | Reliable | Effective
Your Partner in Safety & Success

SCREWDRIVERS

INSULATED SLOTTED SCREWDRIVER (-)



		A	B	CxD	L	PN
0.4	2.5	2.5	75	95x25	170	IC0204
0.5	3.0	3.0	100	95x25	195	IC0205
0.6	3.5	3.5	100	95x25	195	IC0206
0.8	4.0	4.0	100	105x30	205	IC0208
1.0	5.5	5.5	125	115x35	240	IC0210
1.2	6.5	6.5	150	115x35	265	IC0212

  1000V

INSULATED SLIM TYPE SLOTTED SCREWDRIVER (-)



		A	B	CxD	L	PN
0.5	3.0	3.0	100	95x25	195	IC0305
0.6	3.5	3.5	100	95x25	195	IC0306
0.8	4.0	4.0	100	105x30	205	IC0308
1.0	5.5	5.5	125	115x35	240	IC0310
1.2	6.5	6.5	150	115x35	265	IC0312

  1000V

INSULATED PHILLIPS SCREWDRIVER



	A	B	CxD	L	PN
PH0	3.0	60	95x25	155	IC0400
PH1	5.0	80	105x30	185	IC0401
PH2	6.0	100	115x35	215	IC0402
PH3	8.0	150	118x41	268	IC0403

  1000V

INSULATED SLIM TYPE PHILLIPS SCREWDRIVER



	A	B	CxD	L	PN
PH1	5.0	80	105x30	185	IC0501
PH2	6.0	100	115x35	215	IC0502
PH3	8.0	150	118x41	268	IC0503

  1000V

INSULATED POZI SCREWDRIVER



	A	B	CxD	L	PN
PZ0	3.0	60	95x25	155	IC0600
PZ1	5.0	80	105x30	185	IC0601
PZ2	6.0	100	115x35	215	IC0602
PZ3	8.0	150	118x41	268	IC0603

INSULATED TX SCREWDRIVER



	A	B	CxD	L	PN
T10	3.0	70	95x25	165	IC0810
T15	4.0	80	105x30	185	IC0815
T20	4.0	100	105x30	205	IC0820
T25	5.0	125	115x35	230	IC0825
T30	6.0	130	115x35	245	IC0830

INSULATED NUT SCREWDRIVER



	A	B	E	CxD	L	PN
6.0	7.2	125	31	105x30	230	IC1206
7.0	7.2	125	31	105x30	230	IC1207
8.0	7.2	125	31	105x30	230	IC1208
9.0	7.2	125	31	105x30	230	IC1209
10.0	7.2	125	31	105x30	230	IC1210
11.0	8.1	125	31	118x41	243	IC1211
12.0	8.1	125	31	118x41	243	IC1212
13.0	8.1	125	31	118x41	243	IC1213
14.0	8.1	125	31	118x41	243	IC1214


 

INSULATED PRECISION SCREWDRIVER SET

Size	PN
1.5x0.23x50	IC1415
1.8x0.3x50	IC1418
2.0x0.4x50	IC1420
2.5x0.4x50	IC1425
3.0x0.5x50	IC1430
PH00x50	IC1600
PH0x50	IC1601





12PC INSULATED CHANGEABLE
SCREWDRIVER SET

PN : IC3212



Content			
⚡	0.4x2.0x100	0.4x2.5x100	0.8x4.0x100
	0.5x3.0x100	0.6x3.5x100	
	1.0x5.5x100	1.2x6.5x100	
+	PH0x100	PH1x100	PH2x100
	Voltage Tester: 3.0x70		
	Handle: 31x105		

 1000V

50PC INSULATED CHANGEABLE SCREWDRIVER SET

PN : IC3450



Content					
	0.4x2.0x100	0.4x2.5x100	0.5x3.0x100	1.2x6.5x100	
	0.6x3.5x100	0.8x4.0x100	1.0x5.5x100		
	PH0x100	PH1x100	PH2x100		
	PZ0x100	PZ1x100	PZ2x100		
	T6x100	T8x100	T9x100	T10x100	T15x100
	T25x100	T27x100	T30x100		
	H2.5x100	H3.0x100	H4.0x100	H5.0x100	H6.0x100
	R1x100	R2x100			
	TRI 1x100	TRI 2x100	TRI 3x100	TRI 4x100	
	TORO 4x100	TORO 6x100	TORO 8x100	TORO 10x100	
	M4x4.0x100	M5x5.0x100	M6x5.0x100		
	4x100	6x100	8x100	10x100	
	M4x4.0x100	M5x5.0x100	M6x5.0x100		
	6.3x89	8.1x89			
	89				
	89				
Voltage Tester: 3.0x70					
Handle: 31x105					

 1000V

7PC INSULATED SCREWDRIVER SET

PN : IC2408



Content			
	2.5X75X100	4X100X100	5.5X125X100
	PH0x100	PH1x100	PH2x100
Line Tester 1 Pc			
Handle: 31x105			

   1000V



PLIERS

INSULATED COMBINATION PLIER

mm			PN
160	2.0	1.6	DA0116
200	2.5	2.2	DA0120

   1000V



INSULATED SNIPE NOSE SIDE CUTTING PLIER

mm			PN
160	2.0	1.6	DA0316
200	2.4	2.0	DA0320

   1000V



INSULATED CURVED NOSE CUTTING PLIER

mm			PN
160	2.0	1.6	DA0516
200	2.4	2.0	DA0520

   1000V



INSULATED DIAGONAL CUTTING PLIER

mm			PN
160	2.0	1.6	DA0716

  1000V



INSULATED HEAVY DUTY DIAGONAL CUTTING PLIER

mm			PN
180	2.0	1.6	DA0718

  1000V



INSULATED WIRE STRIPPER

mm	mm	 mm ²	PN
160	5.0	10.0	DA1316

  1000V



INSULATED CABLE SHEAR

mm	 mm	mm ²	PN
250	250	80	DA1725

  1000V



INSULATED RATCHETING CABLE CUTTER

 mm (Max)	mm ² (Max)	PN
32	240	IA2024
52	380	IA2038

  1000V



INSULATED PLASTIC CLAMP

mm	PN
200	IF1020

  1000V



INSULATED ROUND NOSE PLIER

mm ² (Max)	PN
160mm	DA0920

  1000V



INSULATED FLAT NOSE PLIER

mm ² (Max)	PN
160mm	DA1116

  1000V



WRENCHS

INSULATED OPEN WRENCH



S	A	B	L	PN
6	7.0	22	90	DD0106
7	7.0	24	90	DD0107
8	7.5	25.5	100	DD0108
9	7.5	27.5	100	DD0109
10	8.0	29	110	DD0110
11	8.5	31	110	DD0111
12	8.5	33	130	DD0112
13	10.5	34	135	DD0113
14	10.5	37	145	DD0114
15	11.5	40	150	DD0115
16	11.5	42	160	DD0116
17	12.0	44	160	DD0117
18	12.0	44.5	175	DD0118
19	12.5	48	175	DD0119
21	12.5	51	195	DD0121
22	13.0	54	195	DD0122
24	13.5	56	225	DD0124
27	14.8	61	250	DD0127
30	14.8	66	290	DD0130
32	15.8	70	310	DD0132



1000V




INSULATED RING WRENCH



S	A	B	L	PN
6	7.0	22	90	DD0306
7	7.0	24	90	DD0307
8	7.5	25.5	100	DD0308
9	7.5	27.5	100	DD0309
10	8.0	29	110	DD0310
11	8.5	31	110	DD0311
12	8.5	33	130	DD0312
13	10.5	34	135	DD0313
14	10.5	37	145	DD0314
15	11.5	40	150	DD0315
16	11.5	42	160	DD0316
17	12.0	44	160	DD0317
18	12.0	44.5	175	DD0318
19	12.5	48	175	DD0319
21	12.5	51	195	DD0321
22	13.0	54	195	DD0322
24	13.5	56	225	DD0324
27	14.8	61	250	DD0327
30	14.8	66	290	DD0330
32	15.8	70	310	DD0332



1000V



INSULATED ADJUSTABLE WRENCH



mm	S (Max)mm	PN
200	24	DD0520
250	28	DD0525
300	32	DD0530

 1000V

INSULATED ALLEN KEY




mm	⬡I (mm)	PN
130	3	DD2503
140	4	DD2504
160	5	DD2505
180	6	DD2506
200	8	DD2508
235	10	DD2510
260	12	DD2512

 1000V

INSULATED HEX KEY T-TYPE WITH BALL END

⬡I	D	L	H	PN
3	15	150	95	ID0703
4	15	150	95	ID0704
5	15	150	95	ID0705
6	15	150	95	ID0706
8	15	150	95	ID0708



 1000V

SOCKETS & ACCESSORIES

INSULATED ADAPTER

Size (mm)	H	PN
1/2" (Female) to 3/8" (Male)	77	DD1238
3/8" (Female) to 1/2" (Male)	72	DD3812



  1000V

INSULATED Z TYPE ADAPTER 3/8"


PN : DD4038



  1000V

INSULATED ALLEN SOCKET


☐	L (mm)	D	PN
1/4"	66	3	IS0802
	66	4	IS0803
	66	5	IS0804
	66	6	IS0805
	66	8	IS0806
3/8"	120	4	DD1904
	120	5	DD1905
	120	6	DD1906
	120	8	DD1908
1/2"	120	4	DD1704
	120	5	DD1705
	120	6	DD1706
	120	8	DD1708
	120	10	DD1710



  1000V

INSULATED SOCKET

	Size (mm)	D	PN
3/8"	6	14.5	DD1506
	7	16	DD1507
	8	17	DD1508
	9	18	DD1509
	10	20	DD1510
	11	21	DD1511
	12	23	DD1512
	13	23.5	DD1513
	14	25	DD1515
	15	26	DD1514
	16	27	DD1516
	17	28.5	DD1517
	18	30	DD1518
	19	31	DD1519
1/2"	20	33	DD1520
	21	33	DD1521
	22	35	DD1522
	10	18.7	DD1310
	11	20.0	DD1311
	12	21.2	DD1312
	13	22.3	DD1313
	14	23.7	DD1314
	16	26.4	DD1316
	17	26.7	DD1317
	18	28.7	DD1318
	19	29.0	DD1319
	21	31.0	DD1321
	22	33.0	DD1322
	24	35.3	DD1324
	27	40.0	DD1327
	30	43.1	DD1330
	32	45.1	DD1332



  1000V

INSULATED TORX SOCKET

Sq Dr	mm (hex)	L (mm)	PN
1/4"	T10	66	IST2010
	T15	66	IST1015
	T20	66	IST1020
	T25	66	IST1025
	T27	66	IST1027
	T30	66	IST1030
	T40	66	IST1040
3/8"	T10	75	TS3810
	T15	75	TS3815
	T20	75	TS3820
	T25	75	TS3825
	T27	75	TS3827
	T30	75	TS3830
	T40	75	TS3840
	T45	75	TS3845
3/8"	T50	75	TS3850
	T55	75	TS3855



  1000V

INSULATED DEEP SOCKET

	mm (hex)	D1 (mm)	D2 (mm)	L (mm)	PN
1/4"	4mm	12	18	67	ISDH0104
	5mm	13	18	67	ISDH0105
	6mm	14	18	67	ISDH0106
	7mm	16	18	67	ISDH0107
	8mm	18	18	67	ISDH0108
	9mm	18	18	67	ISDH0109
	10mm	19	18	67	ISDH0110
	11mm	21	18	67	ISDH0111
	12mm	22	18	67	ISDH0112
	13mm	23	18	67	ISDH0113



INSULATED BI-HEX DEEP SOCKET

	mm (hex)	D1 (mm)	D2 (mm)	L (mm)	PN
3/8"	8mm	17	23	80	DS3808
	10mm	20	23	80	DS3810
	12mm	22	23	80	DS3812
	14mm	25	23	80	DS3814
	15mm	26	23	80	DS3815
	17mm	28.5	23	80	DS3817
	19mm	31	23	80	DS3819
	22mm	35	23	80	DS3822

INSULATED RATCHET WRENCH

	mm	PN
1/4"	145	Dd2114
3/8"	200	DD2138
1/2"	250	DD2112



INSULATED EXTENSION BAR

	mm	PN
1/4"	75	DD2305
	150	DD2306
3/8"	125	DD2303
	250	DD2304
1/2"	125	DD2301
	250	DD2302



INSULATED L- HANDLE

☐	mm	PN
1/2"	270	DD2812

 1000V



INSULATED T- HANDLE

☐	mm	H	PN
3/8"	200	155	DD1138
1/2"	200	155	DD1112


 1000V



INSULATED SOCKET WRENCH

	D	L	H	PN
8	15.0	200	145	DD0908
10	19.5	300	145	DD0920
12	22.0	300	145	DD0922
13	23.5	300	145	DD0923
14	24.5	300	145	DD0924
16	27.0	300	145	DD0926
17	28.5	300	145	DD0927
18	29.5	300	145	DD0928
19	31.0	300	145	DD0929

 1000V



INSULATED TORQUE WRENCH

☐	N.m	PN
1/4"	5-25	ID1002
3/8"	5-25	ID2008
	10-50	ID2012
	20-100	ID2016
1/2"	10-50	ID3012
	20-100	ID3016
	40-200	ID3020

 1000V



KNIFES

INSULATED CABLE KNIFE (STRAIGHT)

mm	D	PN
180	50	IE0418



   1000V

INSULATED DISMANTLING KNIFE (SEMI-CIRCLE)

mm	D	PN
155	28	IE0616



   1000V

INSULATED DISMANTLING KNIFE (LONG HOOK)

mm	D	PN
180	50	IE1018



   1000V

INSULATED CABLE KNIFE (GUARD)

mm	D	PN
180	50	IE1218




   1000V

INSULATED DISMANTLING KNIFE

mm	D	PN
155	38	IE1416



   1000V




ACCESSORIES

INSULATED HACKSAW FRAME

D	L	PN
150	300	IE0230
300	483	IE0240



INSULATED Mallet

mm	Φ mm	Wt/ kg	PN
315	30	0.6	IG1030


 



INSULATED TWEEZER

mm	PN
130	IF0213



INSULATED GLOVES



TOOL SETS

INSULATED BATTERY TOOLKIT

PN : IH0815

4 Screwdriver bits	PH2, PH1, F5, F4
2 in 1 Bits holder	(for the above bits)
Open Wrench	8mm, 10mm, 13mm
T- Handle	3/8"
Ring Wrench	8mm, 10mm, 13mm
Sockets 3/8"	8mm, 10mm, 13mm



25PC INSULATED TOOLKIT

PN : IH0825



Content	mm
Combination Plier	200
Diagonal Plier	160
6Pcs Screwdriver	PH: PH0x60, PH1x80, PH2x100 SL: 0.6X3.5X100, 0.8X4.0X100, 1.0X5.5X125
Cable Knife(Straight)	50x180
Cable Knife(Semicircle)	28x155
7Pcs 1/2" Sockets	10, 11, 12, 13, 14, 17, 19
7Pcs 1/2" Open End Wrench	10, 11, 12, 13, 14, 17, 19
T-Handle	1/2"

  1000V

31PC INSULATED TOOLKIT

PN : IH0831



Content	mm
Combination Plier	200
Diagonal Plier	160
6Pcs Screwdriver	PH: PH0x60, PH1x80, PH2x100 SL: 0.6X3.5X100, 0.8X4.0X100, 1.0X5.5X125
Cable Knife(Straight)	50x180
Cable Knife(Semicircle)	28x155
7Pcs Sockets	10, 11, 12, 13, 14, 17, 19
7Pcs Open End Wrench	10, 11, 12, 13, 14, 17, 19
Insulated T-Handle	1/2"
Insulated Allen Key	3, 4, 5, 6, 8, 10

  1000V

20PC INSULATED RING WRENCH SET

PN : DD CS-06

6mm, 7mm, 8mm, 9mm, 10mm, 11mm,
12mm, 13mm, 14mm, 15mm, 16mm, 17mm,
18mm 19mm, 21mm, 24mm, 27mm, 30mm,
32mm

  1000V



20PC INSULATED OPEN WRENCH SET

PN : DD CS-05

6mm, 7mm, 8mm, 9mm, 10mm, 11mm,
12mm, 13mm, 14mm, 15mm, 16mm,
17mm, 18mm 19mm, 21mm, 24mm,
27mm, 30mm, 32mm

  1000V

52PC INSULATED TOOLKIT

PN IH1852

Content

A Tray

B Tray

C Tray

D Tray



1000V



INSULATED A TRAY

PN IH1946

Content

6 pcs Pliers

7" Combination Pliers

8" Long Nose Pliers

6" Diagonal Cutter

6" Stripping Pliers

10" Water Pump Pliers

6" Cable Cutter



1000V



INSULATED B TRAY

PN IH1947

Content

11 pcs Screwdrivers, Knife & Tester

PH0X60, PH1X80, PH2X100, PH3X150

2.5x75mm, 3x100mm, 4x100mm, 5.5x125mm, 6.5x150mm

Straight Knife

Voltage Tester



1000V



INSULATED C TRAY

PN IH1948

Content

21 pcs 1/2" Sockets and Accessory

Sockets Bits: 4, 5, 6, 8mm

Sockets: 10/ 11/ 12/ 13/ 14/ 16/ 17/ 18/ 19/ 21/ 22/ 24/ 27

Extension Bar 5" & 10"

T Handle

Ratchet Handle



1000V



INSULATED D TRAY

PN IH1949

Content

14 pcs Open Wrenches and Adjustable Wrenches

Open Wrench: 8/ 10/ 11/ 12/ 13/ 14/ 15/ 16/ 17/ 18/ 19/ 22/ 24

8" Adjustable Wrench



1000V

INSULATED TOOLKIT TROLLEY

PN : IHO169

Drawers Trolley with Foam Profiles



Description	mm
Screwdriver (6)	0.4*2.5*75, 0.5*3.0*100, 0.6*3.5*100, 0.8*4.0*100, 1.0*5.5*125, 1.2*6.5*150
Phillips Screwdriver (4)	PH0*60, PH1*80, PH2*100, PH3*150
Pozi Screwdriver (4)	PZ0*60, PZ1*80, PZ2*100, PZ3*150
TX Screwdriver (5)	T10*70, T15*80, T20*100, T25*125, T30*130
Precision Screwdriver (5)	1.5*0.23*50, 1.8*0.30*50, 2.0*0.40*50, 2.5*0.40*50, 3.0*0.50*50
Precision Philips Screwdriver (2)	PH00*50, PH0*50
Nut Screwdriver (9)	6.0*125, 7.0*125, 8.0*125, 9.0*125, 10*125, 11*125, 12*125, 13*125, 14*125
Open Wrench (20)	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32
Ring Wrench (20)	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32
Adj Wrench (3)	200, 250, 300
Allen Key (7)	3, 4, 5, 6, 8, 10, 12
Hex Key T-Type (5) With Ball End	3*150, 4*150, 5*150, 6*150, 8*150
Socket 3/8" (17)	6, 7, 8, 9, 10, 11, 12, 13, 15, 14, 16, 17, 18, 19, 20, 21, 22
Allen Socket 3/8" (4)	4*75, 5*75, 6*75, 8*75
Ratchet Wrench (1)	3/8"*200
Extension (2)	3/8"*125, 3/8"*250



T-Handle (1)	3/8"200
Socket Wrench (9)	8*200, 10*300, 12*300, 13*300, 14*300, 16*300, 17*300, 18*300, 19*300
Socket 1/2" (15)	10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32
Allen Socket 1/2" (5)	4*120, 5*120, 6*120, 8*120, 10*120
Ratchet Wrench (1)	1/2"*250
Extensions (2)	1/2"*125, 1/2"*250
L-Handle (1)	1/2"*250
T-Handle (1)	1/2"*200
Combination Plier (2)	160, 200
Snipe Nose Side Cutting Plier (2)	160, 200
Curved Nose Cutting Plier (2)	160, 200
Diagonal Plier (1)	160
Heavy Duty Diagonal Plier (1)	180
Flat Nose Plier (1)	160
Wire Stripper (1)	160
Water Pump Plier (1)	300
Hacksaw Frame (1)	150
Cable Knife(Straight)	
Dismantling Knife(Semicircle)	
Dismantling Knife(Long Hook)	
Cable Knife(Guard)	
Dismantling Knife	
Fluke Multimeter	
Fluke Clampmeter	
Insulated Gloves Class 0	

OUR PRODUCT VERTICALS

GETSAFE

INDUSTRIAL SAFETY EQUIPMENT

MEASURE UP

MEASURING EQUIPMENT FOR INDUSTRIAL NEEDS

TOOLIT

TOOLS FOR ASSEMBLY, OPERATION & MAINTENANCE

Authorised Partner/ Retailer

BOMBAY TOOLS



Scan the QR code
for more Variants

Bombay Tools Centre (Bombay) Pvt. Ltd.

A-407, Byculla Services Industries CHS, Dadoji
Konddeo Cross Ln, Byculla East, Mumbai 400027

+91 85913 06264

info@bombaytools.in

Follow us on:



www.thebombaytools.com